

Icing Smiles, Inc. Medical Eligibility Form

Parent/Guardian: If you have not completed the online application, please do so at www.lcingSmiles.org. This step is required to initiate the request for a cake and can ONLY be done by the parent/guardian.

Medical Child's Name:	DOB:/
Parent/Guardian Name:	Phone Number:
Parent/Guardian Email:	Family ID:
TO BE COMPLETED BY THE SPECIALIST P	HYSICIAN:
The patient is eligible based on a medical condition AND is within 2 years of active treatment.	The child is afflicted with a life-threatening or life-altering medical condition of a progressive, degenerative, or malignant nature as outlined on our Eligibility Criteria Sheets AND is within 2 years of active treatment. *Active treatment is defined by the period when a patient is undergoing aggressive, direct interventions to treat a specific condition, and the patient is not considered stable or in maintenance. MD: Please initial the patient's condition on the Eligibility Criteria Sheets attached. No alterations can be made to the Eligibility Criteria. Date of last active treatment/surgery/transplant for condition selected:
The patient is eligible based on hospitalizations.	The child required frequent or extended hospitalizations within the last 12 months. {30 days or longer OR more than 6 hospitalizations} Please provide dates:
The patient has a condition NOT listed on the Eligibility Criteria Sheet AND is within 2 years of active treatment.	The child is afflicted with a life-threatening or life-altering medical condition of a progressive, degenerative, or malignant nature that is NOT outlined on the sheets; AND is within 2 years of *active treatment as explained above; AND meets one of the following principles for determining critical illness conditions: \[\text{ Any child whose medical diagnosis requires high-risk therapy to survive.} \[\text{ Any child who is dependent on life-saving technology to survive.} \[\text{ Any child who is a high risk of death that is not covered by other criteria on the Eligibility Criteria} \]
Disclaimer: Icing Smiles, Inc. and its leadership reserve the discretion to approve or deny any request for diagnoses not specifically listed in the Eligibility Criteria Sheets.	Diagnosis: Date of last active treatment/surgery/transplant for diagnosis:
☐ The patient is NOT eligible.	Please return the form directly to Icing Smiles.
URGENT REQUEST ONLY: The child is in hospice or on palliative car	reinitials The child will be inpatient on their birthdayinitials
Physician's Name:	Phone:
•	Specialty:
	completed - incomplete or incorrect information will not be processed/accepted. in the box. If you do not have either, please send the form via fax with a fax cover sheet that includes the patient's name and DOB.
XSignature of Specialist Physic	cian Date

Phone: 561-593-8314 Email: IcingSmiles@IcingSmiles.org Fax: 866-724-9389

Icing Smiles, Inc. Medical Eligibility Form- Eligibility Criteria Sheet

Icing Smiles defines active treatment as the period when a patient is undergoing aggressive, direct interventions to treat a specific condition, and the patient is not considered stable or in maintenance. Routine procedures, surgeries, and/or frequent office visits do not meet these criteria.

MD: Please initial the patient's condition on the Eligibility Criteria Sheets below. No alterations can be made to the Eligibility Criteria.

Specialty:	nitials: Qualified Conditions:
	Antiphospholipid syndrome with recurrent thrombosis/active disease
Rheumatology	Chronic Infantile Neurological Cutaneous and Articular (CINCA) syndrome
	Chronic vasculitis (one of the following types):
	☐ Eosinophilic granulomatosis with polyangiitis ☐ Granulomatosis ☐ Microscopic polyangiitis ☐ Polyangiitis
	□ Polyarteritis nodosa □ Takayasu arteritis
	Juvenile dermatomyositis with any end-organ involvement, calcinosis or otherwise recalcitrant (
	Mixed connective tissue disease with end-organ involvement
	Neonatal onset multisystem inflammatory disease (NOMID)
	Polychondritis resulting in end-organ damage
	Progressive systemic sclerosis
	Systemic lupus erythematosus stage 3 or greater nephritis or other severe end-organ complications
	Childhood interstitial lung disease from surfactant protein deficiencies with clinical respiratory manifestations
	Chronic respiratory failure requiring ventilator support – CPAP/BiPAP (excluding OSA)
	Chronic ventilator dependence
	Cystic fibrosis only with an additional qualifying medical condition
Pulmonary	Lung transplant within the last 2 years
	Moderate-severe lung disease secondary to chemotherapy and radiation
	Placement on the lung transplant list
	Pulmonary fibrosis
	Pulmonary lymphangiectasia
	Tracheostomy placement
	Bone marrow/stem cell transplant within the 2 years of active treatment
	Cancer of the following nature:
	□ ALL □ AML □ Central Nervous System (CNS) Germ Cell □ Ewing Sarcoma □ Hepatoblastoma □ Hodkin Lymphoma □
	Neuroblastoma □ Osteosarcoma □ Brain Tumors □ Retinoblastoma □ Thyroid Cancer □ Wilms Tumor within the 2
Oncology	years of active treatment
	Tumors not listed requiring chemotherapy, radiation, or more than one major surgery, associated with extensive
_	complications within the 2 years of active treatment
	Malignant neoplasms and neoplasms of unspecified or uncertain behavior not listed within the 2 years of active treatment
	Alpers disease
-	Batten disease
-	Congenital neuromuscular disease of the following with progressive loss of motor function in children who are
	symptomatic <u>and</u> currently experiencing respiratory and/or cardiac complications:
	☐ Muscular Dystrophy ☐ Cerebral Palsy ☐ Congenital Myopathy ☐ Myotonic Dystrophy
	Epilepsy: uncontrolled seizures only
	Huntington's disease, symptomatic
	Leigh syndrome with MRI changes
Neurology	Lennox-Gastaut syndrome
	Leukodystrophy within ongoing progressive complications
	Moyamoya disease
	Neurodegenerative disease with MRI findings of progression
	Neuronal brain iron accumulation (NBIA)
	Progressive cerebrovascular disease (e.g., stroke) with ongoing life-threatening complications
	Riley-Day
	Rett syndrome
	Tuberous sclerosis, involving the brain or spinal cord
	ligible, unless accompanied by complications that meet other criteria: Autism; Mental health conditions; Global
developmental delay; ADD/ADHD; Spina Bifida	
Nephrology	Atypical hemolytic uremic syndrome treated with chronic anticomplement therapy in order to remain in remission Chronic kidney disease (stage 3 or greater) with multiple (3+) acute illnesses/exacerbations in the last year requiring
	hospitalization
	Dialysis-dependent renal disease
-	Kidney transplant within the last 2 years
-	Listed for kidney transplant
	Listed for Mulley transplant

	Description of the state of the
-	Bone marrow transplant within the last 2 years
	Bruton's agammaglobulinemia
Incompany and	Chronic granulomatous disease
Immunology and Infectious Disease	Primary immunodeficiencies with one of the following:
Infectious Disease	☐ Requiring lifelong treatment with a significantly shortened life expectancy (within the childhood period) ☐ Resulting in frequent unplanned hospitalizations where infection is not well controlled
	Severe combined immunodeficiency disease (SCID) with active disease
-	Wiskott-Alrich syndrome with active disease Wiskott-Strick syndrome with active disease
	Bone marrow (BMT) or stem cell transplant within the last 2 years
	Hemophagocytic lymphohistiocytosis
	Severe aplastic anemia
	Wiskott-Aldrich syndrome with active disease
	Severe congenital or acquired bleeding/blood cell disorders with <u>at least one of the following:</u>
	☐ Hemorrhage in vital organs resulting in significant morbidity (e.g., intracranial
	hemorrhage with neurodeficits, organ injury requiring intensive supportive care, etc.)
	☐ Serious complications resulting from transfusion therapy (e.g., iron overload with end-organ damage)
Hamatalami	☐ Severe hemophilia with poor response to therapy, resulting in repeated life-threatening bleeding episodes in the past
Hematology	12 months
	Sickle cell disease or beta thalassemia with at least one of the following severe or chronic complications:
	☐ End-organ damage requiring additional supportive measures
	☐ History of acute chest syndrome requiring unplanned hospital admission
	☐ History of splenic sequestration/splenectomy
	☐ History of stroke or severe cerebrovascular disease
	□ Necessary, regular transfusions/transfusion dependent disease
	Repeated severe pain crises requiring unplanned hospital admission or
	ambulatory management
	Chromosomal abnormalities of the following associated life-threatening complications:
	☐ Trisomy 13/Patau Syndrome ☐ Trisomy 18/Edwards Syndrome ☐ Turner Syndrome ☐ Klinefelter Syndrome ☐ Angelman Syndrome ☐ Barth syndrome
	Congenital abnormalities of the following with associated life-threatening complications:
Genetic Disorders	□ Anencephaly □ Cleft Lip and/or Palate □ Clubfoot □ Gastroschisis □ Congenital diaphragmatic hernia (CDH)
	☐ Hydrocephalus
	DiGeorge syndrome only with an additional qualifying medical condition
	Mitochondrial Disease
The following are NOT	eligible, unless accompanied by complications that meet other criteria: Gilbert's syndrome, Fragile X syndrome, and Trisomy 21
	Bowel/intestinal transplant within the last 2 years
	Chronic progressive liver disease with decompensation
	Eosinophilic Esophagitis (EoE) only with an additional qualifying medical condition
	Eddinophilic Edophagida (Ede) only with an additional qualifying medical condition
	Familial adenomatous polyposis (FAP) with a history of polyps
-	
	Familial adenomatous polyposis (FAP) with a history of polyps
Gastroenterology	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> Short gut disease with prolonged parenteral support Complications resulting from immunosuppressive therapy or
Gastroenterology	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery
Gastroenterology	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> Short gut disease with prolonged parenteral support Complications resulting from immunosuppressive therapy or surgery Liver failure (chronic)
Gastroenterology	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years
Gastroenterology	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension
Gastroenterology	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support
	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with <u>at least one of the following severe or chronic complications:</u> □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications eligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral
	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications eligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral S)
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications eligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Orals Alexander disease (symptomatic)
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications Teligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications Teligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications Teligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications Teligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy
The following are NOT	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications feligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe
The following are NOT Allergy Syndrome (OAS	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications Feligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease
The following are NO1 Allergy Syndrome (OAS	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications feligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome
The following are NOT Allergy Syndrome (OAS Endocrinology and Metabolic	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications religible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Actively listed for pancreas transplant Gaucher disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome Maple syrup urine disease with a history of hypoleukemia event occurring after diagnosis
The following are NOT Allergy Syndrome (OAS Endocrinology and Metabolic	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications feligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Actively listed for pancreas transplant Gaucher disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome Maple syrup urine disease with a history of hypoleukemia event occurring after diagnosis Metachromatic leukodystrophy, progressive
The following are NOT Allergy Syndrome (OAS Endocrinology and Metabolic	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications feligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral (S) Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome Maple syrup urine disease with a history of hypoleukemia event occurring after diagnosis Metachromatic leukodystrophy, progressive Mucopolysaccharidosis disorders (symptomatic):
The following are NOT Allergy Syndrome (OAS Endocrinology and Metabolic	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: Short gut disease with prolonged parenteral support complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications feligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral (S) Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome Maple syrup urine disease with a history of hypoleukemia event occurring after diagnosis Metachromatic leukodystrophy, progressive Mucopolysaccharidosis disorders (symptomatic): Hunter syndrome Hurler syndrome Sanfilippo syndrome
The following are NOT Allergy Syndrome (OAS Endocrinology and Metabolic	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications *eligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome Maple syrup urine disease with a history of hypoleukemia event occurring after diagnosis Metachromatic leukodystrophy, progressive Mucopolysaccharidosis disorders (symptomatic): □ Hunter syndrome □ Hurler syndrome □ Sanfilippo syndrome Multiple endocrine neoplasia syndromes with evidence of cancer
The following are NOT Allergy Syndrome (OAS Endocrinology and Metabolic	Familial adenomatous polyposis (FAP) with a history of polyps Hepatopulmonary syndrome Inflammatory bowel disease (Crohn's) with at least one of the following severe or chronic complications: □ Short gut disease with prolonged parenteral support □ complications resulting from immunosuppressive therapy or surgery Liver failure (chronic) Liver transplantation within the last 2 years Portal hypertension Short bowel syndrome or intestinal failure requiring prolonged parenteral (TPN) support Status post liver transplant with continued complications *eligible, unless accompanied by complications that meet other criteria: Celiac disease, GERD, FPIES, Lactose Intolerance, Oral Alexander disease (symptomatic) Actively listed for pancreas transplant Gaucher disease – type 2 Hyperinsulinism with persistent hypoglycemia after pancreatectomy Infantile Pompe Krabbe disease Lesch-Nyhan syndrome Maple syrup urine disease with a history of hypoleukemia event occurring after diagnosis Metachromatic leukodystrophy, progressive Mucopolysaccharidosis disorders (symptomatic): □ Hunter syndrome □ Hurler syndrome □ Sanfilippo syndrome Multiple endocrine neoplasia syndromes with evidence of cancer Niemann-Pick disease

	Pyruvate dehydrogenase with disease progression
Endocrinology and	Sphingolipidosis with symptoms in the pediatric period:
Metabolic	GM1 gangliosidosis and/or Tay-Sachs
Conditions	Thyroid cancer requiring hemotherapy treatments and/or radiation within the last 2 years
	Urea cycle (CPS, OTC, citrullinemia) and organic acidemia disorders (methylmalonic and propionic)
	X-linked adrenoleukodystrophy with adrenal or brain findings
The following are NO	T eligible: Diabetes
Cardiology	Complex congenital heart disease <u>listed below</u> AND must have required surgery within the last 2 years □ Aortic
	Atresia □ Double Inlet Left Ventricle □ HLHS/HRHS □ Mitral Atresia □ Single Ventricle □ Tricuspid Atresia
	Congestive heart failure
	Hypertrophic, restrictive, and/or arrhythmogenic right ventricular cardiomyopathy (ARVC)
	Implanted cardiac defibrillator
	Implanted ventricular assist device
	Left ventricular heart failure
	Long QT syndrome
	Frequent hospitalizations after repair of a congenital heart defect (routine studies are not included)
	Placement on the heart transplant list
	Pulmonary arterial hypertension
	Recipient of a heart or heart-lung transplant within the last 2 years
	Congenital heart disease requiring a Fontan procedure within the last 2 years
	Tetralogy of Fallot with pulmonary atresia and major aortopulmonary collaterals

To Social Workers, Child Life Specialists, Parent Liaisons, and Medical Providers: Should you wish to acquire additional information or receive a flyer to share with your patients, please do not hesitate to contact us at INFO@icingsmiles.org.



Icing Smiles is a nonprofit organization that provides custom celebration cakes and other treats to families impacted by the critical illness of a child. We understand that the simple things, like a birthday cake, are luxuries to a family battling illness. Our goal is to create a custom cake for the ill child, or their sibling, that provides a temporary escape from worry and creates a positive memory during a difficult time.

